

PVC · WOOD · ALUMINIUM
WINDOWS · ROLLER SHUTTERS · DOORS · GARAGE DOORS




**EXTERIOR ROLLER
SHUTTERS
EXTERIOR
WINDOW BLINDS**

HARMONY | COMFORT | SAVINGS

TYPES OF EXTERIOR ROLLER SHUTTERS

Discover the best exterior roller shutter systems, dedicated to both new construction and renovation of existing buildings

Front-mounted shutters are installed in boxes on the building's facade or on the window, while top-mounted ones are attached to the upper window frame. An intermediate solution, providing an aesthetic finish for the box, is the flush-mounted roller shutter hidden beneath the facade surface.



DK-RZS roller shutter
(pentagonal)




DK-RZP roller shutter
(half-round)



DK-RZO roller shutter
(round)



Flush-mounted roller shutter **DK-RSP**



Top-mounted roller shutter
in PVC box
DK-RNB, DK-RNC



Top-mounted roller shutter
in EPS box
DK-RNT

AUTOMATIC CONTROL

DAKO's extensive range of automation enables fast, convenient control of roller shutters from the remote control, control unit or wall switch and easy integration with smart home systems.

AUTOMATIC CONTROL - DRIVES

SOMFY



MATIC



SELVE



SOLAR POWERED DRIVERS

The solar radio motor, mounted together with a photovoltaic panel, allows convenient remote control of window covers using clean, environmentally friendly solar energy.



OBSTACLE DETECTION / SELF-LOCKING HANGERS

All roller shutters with automatic control are equipped with self-locking hangers. By additionally selecting drives with obstacle detection, you will receive a solution that prevents damage to the roller shutter and increases the level of safety for users.

THE MOST POPULAR COLOURS OF ROLLER SHUTTERS



Standards


Wood-like

Additional


*Just for dpa39

TYPES AND SIZES OF SHUTTER ARMOUR

The armours of our external roller shutters are available as perforated or solid versions and in a choice of two sizes.



Perforated armour



Solid armour




Armour DPA 39

max. surface 6 m²,
max. width - 2900 mm

Armour DPA 43

max. surface area 8 m²,
max. width - 3200 mm



To find out
more scan this
QR code

EXTERIOR BLINDS

MODERN ALTERNATIVE TO ROLLER SHUTTERS

- » **High quality** and functionality, guaranteeing an aesthetically pleasing appearance and stability
- » **Thermoregulatory** and **protective** properties
- » Option to regulate the amount of **light entering** the premises
- » **Easy operation**, possibility to change the angle of the lamellas
- » Light and simple **aluminium construction**
- » **Modern building** finish



DK-ZFB SELF-SUPPORTING BLINDS




DK-ZFS FRONT-MOUNTED BLINDS



DK-ZFN TOP-MOUNTED BLINDS




To find out
more scan this
QR code




CUSTOMISE YOUR FACADE

A wide selection of attractive colours allows you to fully match the appearance of the blinds to the style of your property.


THE MOST POPULAR COLOURS OF BLINDS




White




Silver




Pearl silver




Agate grey




Brown




Anthracite




Black



Mouse grey



Ivory



Copper brown

AUTOMATIC CONTROL

Modern automation systems make it possible to raise, lower and change the angle of the lamelas remotely.

SOMFY (WIRED)



SOMFY (RADIO IO)



Office phone: +48 661 61 64 20, +48 695-460-489
e-mail: jolanta.nowak@dako.eu, kinga.ploskonka@dako.eu



www.dako.eu