

PVC · WOOD · ALUMINIUM  
WINDOWS · ROLLER SHUTTERS · DOORS · GARAGE DOORS



Novelty in DAKO offer!

# System DPX-76 eXplore

Energy-efficient PVC system for warm interiors,  
comfort and a healthy microclimate.

# COMPREHENSIVE SOLUTIONS

## ON THE **DPX-76 EXPLORE** PROFILE

Effective technological solutions and ergonomic design of systems made from high-quality PVC.


### Window **DPX-76 eXplore**

#### EQUIPMENT:

- **V-perfect** weld
- **Secustik Luxembourg** handle
- **3 thermo-welded** seals
- **Siegenia Titan** hardware
- **Automatic rotation** spindle adjustment

#### BASIC TECHNICAL INFORMATION::

- Installation depth: **76 mm**
- Glazing unit: **with warm swisspacer: 4/18/4/18/4**
- $U_w = 0.78 \text{ W/m}^2\text{K}$



\* Reference window 1230 x 1480 mm

### External batch doors **DPX-76 eXplore**

#### EQUIPMENT:

- Waterproof **thermal insulation** panel or insulated glazing unit
- **Aluminum threshold** with thermal break, 20mm high
- **Transport and installation extension**, 30mm high
- V-perfect weld

#### BASIC TECHNICAL INFORMATION:

- Installation depth: **76 mm**
- Glazing unit: **4/18/4/18/4 or 48 mm panel**
- $U_w = 0.99 \text{ W/m}^2\text{K}^*$

\* For a clearance of 900 x 2000 mm



## Patio doors HST-76 eXplore

### EQUIPMENT:

- **V-perfect** weld
- **Opening limiter**
- **Hook lock** (standard diagram A) or locking pins on the frame (standard diagram C)

### BASIC TECHNICAL INFORMATION:

- Installation depth: Wing: 76 mm; Frame: 179 mm
- Glazing unit: **with warm edge: 4/18/4/18/4**
- $U_w = 0.86 \text{ W/(m}^2\text{K)}^*$

\* Dimensions of the construction 2460 mm x 2180 mm



## Patio doors PARALLEL SLIDING SYSTEM DPX-76 eXplore

### EQUIPMENT:

- **V-perfect** weld
- Safe ventilation: Vent **Secure micro-ventilation** with a slot of up to 3 cm
- Innovative and **durable hardware** mechanism from Siegenia
- Available diagrams: **A, C, and G**


### BASIC TECHNICAL INFORMATION:

- Installation depth: **76 mm**
- Glazing unit: with **warm edge: 4/18/4/18/4**
- $U_w = 0.75 \text{ W/(m}^2\text{K)}^*$

\* Construction dimensions 2460 mm x 2180 mm



see more  
[www.dako.eu](http://www.dako.eu)






for your comfort...



# COLOURS

**A full range of shades is provided by 14 trendy veneers.**

Discover a wide spectrum of colors inspired by nature, neutral classics, and modern options. Choose from wood-like, monochromatic, or matte variants, including 2 brand-new colors!



*\* The colours presented are just a visualization and may be different from the actual colours.*

## CONTACT US!



**Jolanta Nowak**  
Sales Director

**mobile: +48 661 61 64 20**  
jolanta.nowak@dako.eu



**Kinga Płoskonka**  
Sales Coordinator

**mobile: +48 695 460 489**  
kinga.ploskonka@dako.eu

### DISCOVER THE COMPREHENSIVE DAKO OFFER

– windows, doors, roller shutters and garage doors created with attention to comfort, aesthetics, and energy efficiency.

Contact us and find out how you can grow your business with modern joinery from the manufacturer!